



✓ 1

CERTIFICATE OF ANALYSIS

Tank	15	File:	EC06 / 61428
Location:	Sprague Rensselaer NY	As At:	06/25/06
Product*:	No.6 Fuel Oil	*As designated by client	

The following analytical results were obtained from samples drawn from the above
Shore Tank.

<u>PRODUCT PROPERTY</u>	<u>METHOD</u>	<u>RESULT</u>
Gravity, °API @ 60°F	D-4052	12.5
Sulfur, wt%	D-4294	1.198
Viscosity, cSt @ 50°C(122 °F)	D-445	431
Viscosity, SSF @ 50°C(122 °F)	D-2161	203
Pour Point, °F	D-97	32
Flash Point, °F	D-93B	230
Nitrogen, wt%	D-5762	0.3518
BS & W, vol%	D-1796	0.20
Carbon Residue(MCRT), wt%	D-4530	13.7
Vanadium, ppm	AA	42.6
Sodium, ppm	AA	16.8
Ash, wt%	D-482	0.044
n-Heptane Insolubles (asphaltenes)	D-3279	3.87
		*
Sediment By Extraction	D-473	0.02
Water By Distillation	D-95	0.20
		*
Heat Of Combustion,	D-240	
BTU/LB		18,657
BTU/gal		151,952

RESULTS ARE VALID "AS AT" DATE AND LOCATION LISTED

Samples are retained for a period of 30 days unless otherwise requested in writing

SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE. THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF ESTABLISHING THE INDEPENDENTLY VERIFIED PRODUCT SPECIFICATION ON A COMPOSITE BASIS IN SPRAGUE'S TERMINAL SHORE TANK AS NOTED ON THE CERTIFICATE. THE INSPECTION REPORT IS NOT TO BE USED FOR ANY OTHER PURPOSE. SPRAGUE DISCLAIMS ANY LIABILITY FOR THE PRODUCT AFTER DELIVERY BY SPRAGUE TO CUSTOMER. SPRAGUE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR AN INTENDED USE EXCEPT AS MAY BE SPECIFICALLY SET FORTH IN WRITING IN ANY CONTRACT OR TERMS OF SALE BETWEEN SPRAGUE AND A BUYER OF PRODUCT. SPRAGUE ASSUMES NO LIABILITY FOR CLAIMS OR LOSSES THAT MAY ARISE FROM CUSTOMER'S USE OF THIS INSPECTION REPORT/ANALYSIS.